INDEX

Here is a consolidated index to CRAFTSMAN information for the six years ending with Nov/Dec 1974. Valume 15 is 1969, 16 is 1970, 17 is 1971, 18 is 1972, 19 is 1973, and 20 is 1974. Issue #1 is Jan/Feb, #2 is Mar/Apr, etc. Codes for types of items are: F - a main feature, S - a subfeature or short feature, TF - Technical Forum,

DE – Data Exchange, M – miscellaneous. Articles of business interest are segregated from technical data for convenience. This is not an index of total CRAFTSMAN contents, as items of temporary news interest have not been included.

Back issues (when available) Vols. 15-18: 50¢, 19-20: \$1.00

*	Item	Vol.	No.		Item	Vol.	Þ
erial Cameras, A Primer	F	15	5	Exposure Control on Still Cameras, Part I	F	17	
Part II	F	. 15	6	Part II	F	17	
gfamatic 300 Sensor	F	19	4				
gfamatic 2000 Sensor	S	20	6	Far-Out Lenses	F	20	
gfa Microflex Sensor, The	F	16	4	Film (Super 8) Cartridge Modification, for			
gfa Optima II (and similar models),				movie camera speed tests	DE	17	
exposure adjustment	DE	17	4	Flexiclamp, lenses too large for	DE	17	
ires 35-III, disassembly	DE	17	5	Fujica Half, shutter removal	TF	15	
ires Viscount, disassembly	TF	17	3	Fujica ST 801, Part I	F	19	
lpa 6C, disassembly	TF	17	4	Fujica ST 801, Part II	F	20	
mpro 8 Model 350, disassembly	DE	18	1				
NSI Standards	M	20	4	GAF Two Sixty Six, top cover removal	DE	19	
NSI Standards	M	20	5	GAF Colt 94 Super 8, f/1,7	DE	20	
gus A-5	DE	18	2	Gossen Lunasix, Adjusting	F	16	
rgus Pocket Carefree 110	F	19	4	Graflex 220 roll film holder, reassembly	TF	15	
rgus Showmaster 822, Super-8	TF	15	1	,			
rgus V-100, shutter removal	DE	18	2	Hanimex Praktica Nova 1B, disassembly	TF	16	
uto Aragon Lens 135mm, disassembly	DE	18	5	Hasselblad 250mm Sonnar, f/5.6	S	20	
uto Nikkor lens, 50mm f/1.4	F	19	5	Hasselblad Zeiss Planar 1:2.8 80mm lens		20	
uto Yashinon-DX, f4/80-160mm zoom			•	Honeywell Auto/Strobonar 772	S	19	
disassembly	TF	18	6	Honeywell Lumetar lens	F	20	
	F	20	5	Honeywell Pentax ES, Part 1	F	19	
utomatic Lens, Servicing the					F	19	
utoSystem 7	M	20	5,6	Part II	-		
ell & Howell/Canon Cine Canonet 8,				Honeywell Pentax 6 x 7, tightening PC terminal	DE	18	
disassembly	DE	17	5	Honeywell SMC Takumar 55mm lens	F	20	
ell & Howell Servo-mechanism	S	16	6			10	
ttco Super Vemar f/12.8 35mm lens,	9	10	•	Index, Technical Forum (1962 - 1971)	TF	18	
disassembly	TF	16	1	Inside Front Shutters, Part I	F	16	
aun AMC Reflex M335,	***	10		Part II	F	17	
	TF	16	=				
disassembly/reassembly	ir	10	5	Keystone 8mm K610	DE	19	
aun Paxette Automatic Super III,	DE	19	5	Keystone K-430 movie camera	TF	17	
disassembly			3	Keystone K716p Super 8mm, disassembly	DE	19	
ronica Nikkor-P f/2.8 7.5cm lens	TF	18	3	Kodak Auto 35F	DE	18	
ronica S-2, mirror replacement	DE	17	6	Kodak Carousel Illumination System	S	17	
anon Auto Zoom 518 Movie	DE	20	2	Kodak Cine-Special I, disassembly	DE	17	
anon Auto Zoom 814, disassembly	DE	18	4	Kodak Instamatic 400, disassembly	TF	15	
anon Demi C, shutter disassembly	DE	18	5	Kodak Instamatic M16 Movie	DE	20	
anon Demi EE17, transport access	TF	15	5 2	Kodak M-12, disassembly	DE	20	
	DE	18	2	Kodak Model 800 Instamatic, check focus	DE	20	
anon Denis (S), shutter access			3	Kodak's New Pocket Instamatics	S	18	
anon FL 50mm 1:1.4 lens	TF	19		Kodak Pocket Instamatic 20	DE	20	
anon F-1, Part I	F	20	6		DL	20	
anon Model Vt deluxe, cover plate removal	TF	19	1	Kodak XL55 Super 8 Movie Viewfinder	DE	20	
anonflex camera, disassembly	TF	17	5	disassembly	DE	20	
Classic Cameras, Collecting and Repairing	S	19	3	Konica Auto 5-2	DE	18	
Compur Electronic and its Secrets, Part III	F	15	1	Konica Auto S-2, shutter removal	TF	16	
Part IV	F	15	2	Konica FS SLR, disassembly for shutter access	TF	16	
Compur Shutter for Kodak 4 x 5	DE	20	3	Konica Model FS, disassembly	DE	17	
Contaflex Beta model, disassembly	TF	15	2	Kowa SE f/1.9, 50mm lens disassembly	TF	16	
Contaflex Super, timing the exposure meter	TF	19	3	Kowa SEshutter (lens)/front plate assembly	TF	18	
opal Shutter, Canonet QL, delayed				Kowa/SIX 2 1/4 SLR, light trap sticking			
action escapement replacement	DE	18	5	solved	DE	18	
Cosinon Auto f/1.4 55mm lens, disassembly	TF	19	4				
The state of the s				Leica M-5	F	20	
acora-Matic 4-D, shutter removal	TF	15	1	Leicas, the M-Series	F	19	
iaphragm blades, cleaning	DE	20	2	Leitz Hektor f/4.5 135mm lens, removing		.,	
				diaphragm	TF	17	
Piaphragm leaves, assembly	DE	20	2	Leitz Summitar f=5cm 1:2 (Collapsible Lens),	11	17	
1		10	2	disassembly	DE	17	
lectronic Flash	F	19	2			17	
lectronics in cameras	F	20	4	Lens Filter Flange, straightening	DE	18	
umig C-16, disassembly	TF	17	6	Lens Mensuration Fixtures, How to Use NC	F	17	
tumig Mini 3 Zoom Reflex	F	19	4	Lenses - Special Issue		20	
xakta delayed-action and shutter speed				Lip-Sync Super 8	SF	20	
operation instruction	TF	15	4				
xakta RTL1000, right side cover removal	DE	20	4	Mamiya Auto Lux 35, disassembly	TF	18	
Exakta VXIIa Pentaprism Viewfinder,				Mamiya C-220 TLR, transport	DE	18	
disassembly and cleaning	DE	20	3	Mamiya "Family" model SLR, shutter removal	TF	16	

	Item	Vol.	No.		Item	Vol.	No.
Mamiya RB 67, disassembly	DE	19	4	Soligor Auto-Zoom f4.5/9000230mm lens, disassembly	TF	19	2
Mamiya Sekor f/1.7 58mm lens, removing	TE	17	1	Spanner Screwdrivers	DE	20	2
diaphragm	TF DE	17 18	5	Springs, reinstalling	DE	18	6
Mamiya Sekor 500 TL Mamiya 500-1000 DTC	DE	20	4	Steinheil Auto-Quingron f/2.8 35mm lens	DE	20	
Mercury Batteries, voltage characteristics	DE	17	4	Steinheil Macro-S-Quinon	DE	20	5 3 5 6
Minolta Auto Rokkor-PF 55mm f/2 lens	DL	17	4	1:1.9, 55mm lens	DE	19	5
disassembly	DE	17	5	Storage, small parts	DE	17	6
Minolta Auto-Wide, disassembly	DE	17	4	Super Ricohflex TLR, shutter removal	TF	16	5,6
Minolta Hi-Matic E, Part I	F	18	5	Sync Module	M	20	
Part II	F	18	6	Threading, odd, formula	DE	17	4
Minolta Hi-Matic 7s	TF	18	4	Thyristor Electronic	F	17	6
Miranda D, disassembly and timing	DE	17	4	Topcon Auto 100, disassembly	TF	15	4
Miranda f/1.9 lens, disassembly	DE	19	5	Topcon Uni (Beseler Topcon Auto 100)	DE	18	3
Miranda Sensomat, disassembly	DE	20	3	VI. 1			
Multispan Tips, matching pairs	DE	17	4	Vivitar Movie T14 Super 8, access to trigger			
Multispan Wrench, modification	DE	20	1	switch, acom lens switches, printed circuit	DE	10	4
Multispan Wrench, modification for large			-	board and motor	DE F	18	5
cameras	DE	17	5	Vivitar Series One Macro-Zoom lens Voigtlander Bessamatic, notes	DE	18	4
					TF	15	5
				Voigtlander Dynamatic II, shutter removal Voigtlander Vitomatic II, disassembly	DE	18	2
Althorny (Adadal with Sathasha SIV Shuttan)				Volgitarder Vitoliarie II, disassembly	DL	10	2
Nikkorex (Model with Seikosha SLV Shutter), disassembly	DE	17	6	Wards 704 Super 8, disassembly	TF	17	1
Nikkormat FTN, disassembly	DE	19	3	Wollensak Eyematic Model 46, meter replacement		18	2
Nikon F2, The, Part I	F	18	3	Workbench construction, suggestions	DE	17	5
Part II	F	18	4			**	_
Nikon F2, DPI meter	DE	20	6	Yashica Lynx 5000 Rangefinder with Copal SV			
Nikon Photomic FT Viewfinder, cleaning lens	DE	20	3	Shutter	DE	18	1
Nikonos flash systems	DE	19	6	Yashica Super 30 Electric, disassembly	DE	20	2
7				Yashica TL Electro X, top cover removal	DE	18	6
Olympus EE (35mm) top cover removal	DE	20	3				
Olympus OM-1 Part I	F	20	3	Zeiss Jena Biotar 58mm lens, disassembly	TF	16	3
Olympus OM-1 Part II	F	20	4	Zeiss Planar Iens see Hasselblad			_
Olympus OM-1 50mm f/1.4 Lens	SF	20	2	Zelox Combi Test Instrument	M	20	3
Olympus Quickmatic EEM, disassembly	DE	19	3	Zoom lens elements, easy handling	DE	18	6
Pentax, see Honeywell				BUSINESS ARTICLES			
Petri FT, access to meter switch	DE	18	2				
Perspective Adjusting Lens Mount for \$5.00	F	20	5	Budgeting in a Small Service Firm		17	4
*Polaroid Electronic Shutter, Part 1	F	16	2	Business and Consumerism Part I		17	6
Part II	F	16	3	Part II		18	1
**Polaroid Focused Flash Unit	DE	19	3	Camera Service Industry Analyzed		18	3
*Prontor 500 Electronic, Part 1	F	15	3	Check and Double Check Your Records		20	3
Part II	F	15	4	Checklist for Increased Profits		20	6
Prontor 500 LK, shutter cocking tool for	DE	19	6	Controlling Cash Flow		16	2
Prontor's Integrated Circuits	S	16	4	Controlling Your Business		17	2
D 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_			Controlling Your Expenses		20	4 5
Rangefinders, A New Method for Adjusting	F	20	1	Craftsman's Hands, The		16	5
Regula Reflex 2000 CTL	F	18	4	Danger Signals in a Small Store		16	5
Resolving Power of Photographic Lenses, Part I	F	18	1	Freezing the Fleeting Malfunction (high-speed pho	otogra	phy)19	5 3 2
Part II	F	18	2	From Paper Plans to Action		17	3
Part III	DE	18	3	Give Your Business a Financial Checkup		20 19	4
Reting Shutter-Cocking Tool		18		Hole Thing, The (pinhole photography)			
Ricoh 500, Seikosha MXL Shutter	DE	20	2	Madison Avenue on Main Street (advertising)		15	-
Ricoh S-2, disassembly	DE	18 20		Make Your Advertising Pay Dividends		20 20	5
Ricohmatic 44 TLR Rollei Electronic Flash Units	F	18		Managing Your Money		20	,
Rollei Flash Schematics, E15B, E19BC, E22C	-	10	2	Offbeat (work attitudes)		20	3
and E15	M	19	2	Offipedi (work diffiodes)		20	
Rollei Flash Units E15B and E19BC	S	19		Photo Products of Russia and China		20	4
Rolleiflex 2.8Ftiming relationships	TF	18		Photokina Report 1970		16	
Rolleiflex SL 35	F	19		Photokina Report 1972		18	
				Photokina Report 1974		20	6
Sankyo-Moviemat 8mm lens, disassembly	TF	16	2	Product News from 1974 MPDFA Show		20	3
Sawyers Mark IV TLR, Seikosha shutter	DE	20		Product Service, Defense or Offense		20	
Schneider-Kreuznach Xenon f/1.9 50mm lens,				Profit from your Problems (employee training and			
removing diaphragm	TF	17		customer relations)		19	
Screw Shaft, repairing end thread	DE	17	4	Records and What They Mean to You		19	
Sekonic Auto-Leader (Mod. 38) light meter,		_		Shop Survey Preview, 1971		17	
disassembly	DE			Success in the Shops		17	
Shutter Error Conversion Table	M	118	5	Ten Practical Business Tips		16	1
*one of four articles available in a reprint boo	klet nr	iced at	\$5.00	**added information from Polaroid on			
				udded information from rolatola on			

